



**ENERG**  
енергия · ενεργεια



HPA-O 05.1 CS Premium

**STIEBEL ELTRON**



55 °C

35 °C



**A+++**

**A+++**



**48** dB

■ 8  
■ 6  
■ 3

kW

■ 8  
■ 5  
■ 3

kW



2019

811/2013

Податоци за производот:

|              |       | HPA-O 05.1 CS Premium |
|--------------|-------|-----------------------|
|              |       | 202666                |
| Manufacturer |       | STIEBEL ELTRON        |
|              |       | A+++                  |
|              |       | A+++                  |
|              | kW    | 6                     |
|              | kW    | 5                     |
|              | %     | 151                   |
|              | %     | 185                   |
|              | kWh/a | 3021                  |
|              | kWh/a | 2415                  |
|              |       | -                     |
|              | kW    | 8                     |
|              | kW    | 8                     |
|              | kW    | 3                     |
|              | kW    | 3                     |
|              | %     | 126                   |
|              | %     | 151                   |
|              | %     | 143                   |
|              | %     | 208                   |
|              | kWh/a | 5927                  |
|              | kWh/a | 5239                  |
|              | kWh/a | 1085                  |
|              | kWh/a | 768                   |
|              | dB(A) | 48                    |



ENERG  
енергия · ενεργεια



HPA-O 05.1 CS Premium

**STIEBEL ELTRON**



A<sup>+++</sup>

A<sup>+++</sup>

A<sup>++</sup>

A<sup>+</sup>

A

B

C

D

E

F

G

A<sup>+++</sup>

+



+



+



+



Податоци за производот:

|              |   | HPA-O 05.1 CS Premium |
|--------------|---|-----------------------|
|              |   | 202666                |
| Manufacturer |   | STIEBEL ELTRON        |
|              | % | 185                   |
|              |   | VI                    |
|              | % | 4                     |
|              | % | 155                   |
|              | % | 130                   |
|              | % | 147                   |
|              | % | 25                    |
|              | % | 8                     |
|              |   | A+++                  |
|              |   | A+++                  |

Податоци за производот:

|              |    | HPA-O 05.1 CS Premium |
|--------------|----|-----------------------|
|              |    | 202666                |
| Manufacturer |    | STIEBEL ELTRON        |
|              |    | Außenluft             |
|              |    | -                     |
|              |    | x                     |
|              |    | -                     |
|              | kW | 8                     |
|              | kW | 6                     |
|              | kW | 3                     |
|              | kW | 4,7                   |
|              | kW | 5,0                   |
|              | kW | 2,9                   |
|              | kW | 3,0                   |
|              | kW | 3,0                   |
|              | kW | 3,1                   |
|              | kW | 3,0                   |
|              | kW | 2,7                   |
|              | kW | 3,6                   |
|              | kW | 3,6                   |
|              | kW | 3,5                   |
|              | kW | 4,7                   |
|              | kW | 5,0                   |
|              | kW | 3,0                   |
|              | kW | 2,6                   |
|              | kW | 4,1                   |
|              | kW | 3,0                   |
|              | kW | 3,6                   |
|              | °C | -7                    |
|              | °C | -7                    |
|              | °C | 2                     |
|              | %  | 126                   |
|              | %  | 151                   |
|              | %  | 143                   |
|              |    | 2,94                  |
|              |    | 2,64                  |
|              |    | 4,30                  |
|              |    | 3,80                  |
|              |    | 2,86                  |
|              |    | 5,42                  |
|              |    | 4,84                  |
|              |    | 3,61                  |
|              |    | 6,56                  |
|              |    | 6,09                  |
|              |    | 5,33                  |
|              |    | 2,94                  |
|              |    | 2,64                  |
|              |    | 2,86                  |
|              |    | 1,57                  |
|              |    | 2,22                  |
|              |    | 2,86                  |
|              |    | 2,20                  |
|              | °C | -22                   |
|              | °C | -10                   |
|              | °C | 2                     |
|              | °C | 75                    |
|              | °C | 75                    |
|              | °C | 75                    |

|  |       |              |
|--|-------|--------------|
|  | W     | 12           |
|  | W     | 10           |
|  | W     | 12           |
|  | W     | 10           |
|  | kW    | 5,2          |
|  | kW    | 1,5          |
|  | kW    | 0,0          |
|  |       | elektrisch   |
|  |       | veränderlich |
|  | dB(A) | 48           |
|  | kWh/a | 5927         |
|  | kWh/a | 3021         |
|  | kWh/a | 1085         |
|  | m³/h  | 2250         |