



**ENERG**  
енергия · ενεργεια



HPG-I 12 CS Premium

**STIEBEL ELTRON**



55 °C

35 °C



**A+++**

**A+++**



**39** dB



■ 12  
■ 12  
■ 12  
kW

■ 12  
■ 12  
■ 12  
kW



2019

811/2013


Технические характеристики изделия:

|              |       | HPG-I 12 CS Premium |
|--------------|-------|---------------------|
|              |       | 202630              |
| Manufacturer |       | STIEBEL ELTRON      |
|              |       | A+++                |
|              |       | A+++                |
|              | kW    | 12                  |
|              | kW    | 12                  |
|              | %     | 169                 |
|              | %     | 216                 |
|              | kWh/a | 5607                |
|              | kWh/a | 4445                |
|              | dB(A) | 39                  |
|              |       | -                   |
|              | kW    | 12                  |
|              | kW    | 12                  |
|              | kW    | 12                  |
|              | kW    | 12                  |
|              | %     | 174                 |
|              | %     | 224                 |
|              | %     | 168                 |
|              | %     | 214                 |
|              | kWh/a | 6485                |
|              | kWh/a | 5108                |
|              | kWh/a | 3650                |
|              | kWh/a | 2896                |



# ENERG

енергия · ενεργεια



HPG-I 12 CS Premium

## STIEBEL ELTRON



A<sup>+++</sup>

A<sup>+++</sup>

A<sup>++</sup>

A<sup>+</sup>

A

B

C

D


E

F

G

A<sup>+++</sup>

+



+



+



+



Технические характеристики изделия:

|              |   | HPG-I 12 CS Premium |
|--------------|---|---------------------|
|              |   | 202630              |
| Manufacturer |   | STIEBEL ELTRON      |
|              | % | 216                 |
|              |   | VII                 |
|              | % | 4                   |
|              | % | 172                 |
|              | % | 178                 |
|              | % | 171                 |
|              | % | 6                   |
|              | % | 1                   |
|              |   | A+++                |
|              |   | A+++                |

Технические характеристики изделия:

|              |    | HPG-I 12 CS Premium |
|--------------|----|---------------------|
|              |    | 202630              |
| Manufacturer |    | STIEBEL ELTRON      |
|              |    | Sole                |
|              |    | -                   |
|              |    | x                   |
|              |    | -                   |
|              | kW | 12                  |
|              | kW | 12                  |
|              | kW | 12                  |
|              | kW | 7,2                 |
|              | kW | 10,6                |
|              | kW | 4,4                 |
|              | kW | 6,4                 |
|              | kW | 12,0                |
|              | kW | 2,8                 |
|              | kW | 4,1                 |
|              | kW | 7,7                 |
|              | kW | 2,2                 |
|              | kW | 2,2                 |
|              | kW | 3,4                 |
|              | kW | 12,0                |
|              | kW | 12,0                |
|              | kW | 12,0                |
|              | kW | 12,0                |
|              | kW | 12,0                |
|              | kW | 12,0                |
|              | °C | -22                 |
|              | °C | -10                 |
|              | °C | 2                   |
|              | %  | 174                 |
|              | %  | 169                 |
|              | %  | 168                 |
|              |    | 4,31                |
|              |    | 3,55                |
|              |    | 4,91                |
|              |    | 4,49                |
|              |    | 3,29                |
|              |    | 5,16                |
|              |    | 4,99                |
|              |    | 4,12                |
|              |    | 5,40                |
|              |    | 5,25                |
|              |    | 5,10                |
|              |    | 3,29                |
|              |    | 3,29                |
|              |    | 3,29                |
|              |    | 3,29                |
|              |    | 3,29                |
|              | °C | -22                 |
|              | °C | -10                 |
|              | °C | 2                   |
|              | °C | 75                  |
|              | °C | 75                  |
|              | °C | 75                  |
|              | W  | 19                  |
|              | W  | 19                  |

|  |       |              |
|--|-------|--------------|
|  | W     | 19           |
|  | W     | 0            |
|  | kW    | 0,0          |
|  | kW    | 0,0          |
|  | kW    | 0,0          |
|  |       | elektrisch   |
|  |       | veränderlich |
|  | dB(A) | 39           |
|  | kWh/a | 6485         |
|  | kWh/a | 5607         |
|  | kWh/a | 3650         |
|  | m³/h  | 108          |