




**ENERG**  
енергия · ενεργεια



**STIEBEL ELTRON**

LWZ-W 450 E  
Premium



49  
dB



450 m<sup>3</sup>/h



Технические характеристики изделия:

|              |           | LWZ-W 450 E Premium  |
|--------------|-----------|----------------------|
|              |           | 204939               |
| Manufacturer |           | STIEBEL ELTRON       |
|              | kWh/(m²a) | -78,61               |
|              | kWh/(m²a) | -41,68               |
|              | kWh/(m²a) | -17,89               |
|              |           | A+                   |
|              |           | A                    |
|              |           | E                    |
|              |           | WLA, Zwei Richtungen |
|              |           | Drehzahl geregelt    |
|              |           | Rekuperativ          |
|              | %         | 77,0                 |
|              | m³/h      | 450                  |
|              | W         | 116                  |
|              | dB(A)     | 49                   |
|              | m³/s      | 0,087                |
|              | Pa        | 50                   |
|              | W/(m³/h)  | 0,16                 |
|              |           | 0,65                 |
|              | %         | 1,10                 |
|              | %         | 0,78                 |
|              | kWh/a     | 667                  |
|              | kWh/a     | 130                  |
|              | kWh/a     | 85                   |
|              | kWh/a     | 8655                 |
|              | kWh/a     | 4424                 |
|              | kWh/a     | 2001                 |




**ENERG**  
енергия · ενεργεια



**STIEBEL ELTRON**

LWZ-W 450 E  
Premium



49  
dB



450 m<sup>3</sup>/h



Технические характеристики изделия:

|              |           | LWZ-W 450 E Premium  |
|--------------|-----------|----------------------|
|              |           | 204939               |
| Manufacturer |           | STIEBEL ELTRON       |
|              | kWh/(m²a) | -74,24               |
|              | kWh/(m²a) | -38,71               |
|              | kWh/(m²a) | -15,72               |
|              |           | A+                   |
|              |           | A                    |
|              |           | E                    |
|              |           | WLA, Zwei Richtungen |
|              |           | Drehzahl geregelt    |
|              |           | Rekuperativ          |
|              | %         | 77,0                 |
|              | m³/h      | 450                  |
|              | W         | 116                  |
|              | dB(A)     | 49                   |
|              | m³/s      | 0,087                |
|              | Pa        | 50                   |
|              | W/(m³/h)  | 0,16                 |
|              |           | 0,85                 |
|              | %         | 1,10                 |
|              | %         | 0,78                 |
|              | kWh/a     | 727                  |
|              | kWh/a     | 190                  |
|              | kWh/a     | 145                  |
|              | kWh/a     | 8368                 |
|              | kWh/a     | 4278                 |
|              | kWh/a     | 1934                 |




**ENERG**  
енергия · ενεργεια



**STIEBEL ELTRON**

LWZ-W 450 E  
Premium



49  
dB



450 m<sup>3</sup>/h



Технические характеристики изделия:

|              |           | LWZ-W 450 E Premium  |
|--------------|-----------|----------------------|
|              |           | 204939               |
| Manufacturer |           | STIEBEL ELTRON       |
|              | kWh/(m²a) | -71,91               |
|              | kWh/(m²a) | -37,07               |
|              | kWh/(m²a) | -14,49               |
|              |           | A+                   |
|              |           | A                    |
|              |           | E                    |
|              |           | WLA, Zwei Richtungen |
|              |           | Drehzahl geregelt    |
|              |           | Rekuperativ          |
|              | %         | 77,0                 |
|              | m³/h      | 450                  |
|              | W         | 116                  |
|              | dB(A)     | 49                   |
|              | m³/s      | 0,087                |
|              | Pa        | 50                   |
|              | W/(m³/h)  | 0,16                 |
|              |           | 0,95                 |
|              | %         | 1,10                 |
|              | %         | 0,78                 |
|              | kWh/a     | 763                  |
|              | kWh/a     | 226                  |
|              | kWh/a     | 181                  |
|              | kWh/a     | 8225                 |
|              | kWh/a     | 4204                 |
|              | kWh/a     | 1901                 |




**ENERG**  
енергия · ενεργεια



**STIEBEL ELTRON**

LWZ-W 450 E  
Premium



49  
dB



450 m<sup>3</sup>/h



Технические характеристики изделия:

|              |           | LWZ-W 450 E Premium  |
|--------------|-----------|----------------------|
|              |           | 204939               |
| Manufacturer |           | STIEBEL ELTRON       |
|              | kWh/(m²a) | -70,70               |
|              | kWh/(m²a) | -36,22               |
|              | kWh/(m²a) | -13,84               |
|              |           | A+                   |
|              |           | A                    |
|              |           | E                    |
|              |           | WLA, Zwei Richtungen |
|              |           | Drehzahl geregelt    |
|              |           | Rekuperativ          |
|              | %         | 77,0                 |
|              | m³/h      | 450                  |
|              | W         | 116                  |
|              | dB(A)     | 49                   |
|              | m³/s      | 0,087                |
|              | Pa        | 50                   |
|              | W/(m³/h)  | 0,16                 |
|              |           | 1,00                 |
|              | %         | 1,10                 |
|              | %         | 0,78                 |
|              | kWh/a     | 782                  |
|              | kWh/a     | 245                  |
|              | kWh/a     | 200                  |
|              | kWh/a     | 8153                 |
|              | kWh/a     | 4168                 |
|              | kWh/a     | 1885                 |