



ENERG

енергия · ενεργεια

Y IJA
IE IA

STIEBEL ELTRON

VRL-W 100 P

A+

A+

A

B

C

D

E

F

G

53

dB



74 m³/h



ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI
2016 1254/2014

Технические характеристики изделия:

		VRL-W 100 P
		206649
Manufacturer		STIEBEL ELTRON
	kWh/(m²a)	-82,33
	kWh/(m²a)	-40,52
	kWh/(m²a)	-16,57
		A+
		A+
		D
		WLA, Zwei Richtungen
		Drehzahl geregelt
		Regenerativ
	%	76,8
	m³/h	74
	W	21
	dB(A)	53
	m³/s	0,014
	W/(m³/h)	0,22
		0,65
	%	2,40
	%	15.0
	m³/h	1,06
	kWh/a	128
	kWh/a	128
	kWh/a	128
	kWh/a	9587
	kWh/a	4900
	kWh/a	2216



ENERG

енергия · ενεργεια

Y

IJA

IE

IA

STIEBEL ELTRON

VRL-W 100 P

A+

A+

A

B

C

D

E

F

G

53

dB



74 m³/h



ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI
2016 1254/2014

Технические характеристики изделия:

		VRL-W 100 P
		206649
Manufacturer		STIEBEL ELTRON
	kWh/(m²a)	-95,87
	kWh/(m²a)	-49,00
	kWh/(m²a)	-22,16
		A+
		A+
		D
		WLA, Zwei Richtungen
		Drehzahl geregelt
		Regenerativ
	%	76,8
	m³/h	74
	W	21
	dB(A)	53
	m³/s	0,014
	W/(m³/h)	0,22
		0,85
	%	2,40
	%	15.0
	m³/h	1,06
	kWh/a	128
	kWh/a	128
	kWh/a	128
	kWh/a	9587
	kWh/a	4900
	kWh/a	2216



ENERG

енергия · ενεργεια



STIEBEL ELTRON

VRL-W 100 P



A+

53
dB



74 m³/h



Технические характеристики изделия:

		VRL-W 100 P
		206649
Manufacturer		STIEBEL ELTRON
	kWh/(m²a)	-95,87
	kWh/(m²a)	-49,00
	kWh/(m²a)	-22,16
		A+
		A+
		D
		WLA, Zwei Richtungen
		Drehzahl geregelt
		Regenerativ
	%	76,8
	m³/h	74
	W	21
	dB(A)	53
	m³/s	0,014
	W/(m³/h)	0,22
		0,95
	%	2,40
	%	15.0
	m³/h	1,06
	kWh/a	128
	kWh/a	128
	kWh/a	128
	kWh/a	9587
	kWh/a	4900
	kWh/a	2216



ENERG

енергия · ενεργεια

Y

IJA

IE

IA

STIEBEL ELTRON

VRL-W 100 P

A+

A+

A

B

C

D

E

F

G

53

dB



74 m³/h



ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI
2016 1254/2014

Технические характеристики изделия:

		VRL-W 100 P
		206649
Manufacturer		STIEBEL ELTRON
	kWh/(m²a)	-95,87
	kWh/(m²a)	-49,00
	kWh/(m²a)	-22,16
		A+
		A+
		D
		WLA, Zwei Richtungen
		Drehzahl geregelt
		Regenerativ
	%	76,8
	m³/h	74
	W	21
	dB(A)	53
	m³/s	0,014
	W/(m³/h)	0,22
		1,00
	%	2,40
	%	15.0
	m³/h	1,06
	kWh/a	128
	kWh/a	128
	kWh/a	128
	kWh/a	9587
	kWh/a	4900
	kWh/a	2216