



ENERG  
енергия · ενεργεια



HPA-O 13 S Premium

**STIEBEL ELTRON**



55 °C

35 °C



A<sup>++</sup>

A<sup>++</sup>



55 dB

■ 22

■ 15

■ 7

kW

■ 21

■ 15

■ 8

kW



2019

811/2013

|              |       | HPA-O 13 S Premium |
|--------------|-------|--------------------|
|              |       | 238980             |
| Manufacturer |       | STIEBEL ELTRON     |
|              |       | A++                |
|              |       | A++                |
|              | kW    | 15                 |
|              | kW    | 15                 |
|              | %     | 136                |
|              | %     | 173                |
|              | kWh/a | 8940               |
|              | kWh/a | 7055               |
|              |       | -                  |
|              | kW    | 22                 |
|              | kW    | 21                 |
|              | kW    | 7                  |
|              | kW    | 8                  |
|              | %     | 126                |
|              | %     | 153                |
|              | %     | 155                |
|              | %     | 206                |
|              | kWh/a | 16814              |
|              | kWh/a | 13312              |
|              | kWh/a | 2367               |
|              | kWh/a | 2050               |
|              | dB(A) | 55                 |



ENERG  
енергия · ενέργεια



HPA-O 13 S Premium

**STIEBEL ELTRON**



A<sup>++</sup>

A<sup>+++</sup>

A<sup>++</sup>

A<sup>++</sup>

A<sup>+</sup>

A

B

C

D

E

F

G

+



+



+



+



Ürün veri sayfası:

|              |   | HPA-O 13 S Premium |
|--------------|---|--------------------|
|              |   | 238980             |
| Manufacturer |   | STIEBEL ELTRON     |
|              | % | 173                |
|              |   | VI                 |
|              | % | 4                  |
|              | % | 140                |
|              | % | 130                |
|              | % | 159                |
|              | % | 6                  |
|              | % | 20                 |
|              |   | A++                |
|              |   | A++                |

Ürün veri sayfası:

|              |    | HPA-O 13 S Premium |
|--------------|----|--------------------|
|              |    | 238980             |
| Manufacturer |    | STIEBEL ELTRON     |
|              |    | Außenluft          |
|              |    | -                  |
|              |    | x                  |
|              |    | -                  |
|              | kW | 22                 |
|              | kW | 15                 |
|              | kW | 7                  |
|              | kW | 13,5               |
|              | kW | 13,8               |
|              | kW | 7,9                |
|              | kW | 7,7                |
|              | kW | 7,4                |
|              | kW | 8,0                |
|              | kW | 7,9                |
|              | kW | 7,7                |
|              | kW | 7,1                |
|              | kW | 9,0                |
|              | kW | 6,9                |
|              | kW | 12,8               |
|              | kW | 12,4               |
|              | kW | 7,4                |
|              | kW | 23,2               |
|              | kW | 13,4               |
|              | kW | 7,4                |
|              | kW | 13,4               |
|              | °C | -7                 |
|              | °C | -5                 |
|              | °C | 2                  |
|              | %  | 126                |
|              | %  | 136                |
|              | %  | 155                |
|              |    | 2,65               |
|              |    | 2,43               |
|              |    | 3,75               |
|              |    | 3,37               |
|              |    | 2,59               |
|              |    | 4,86               |
|              |    | 4,45               |
|              |    | 3,60               |
|              |    | 6,35               |
|              |    | 6,66               |
|              |    | 5,51               |
|              |    | 2,90               |
|              |    | 2,53               |
|              |    | 2,59               |
|              |    | 2,28               |
|              |    | 2,28               |
|              |    | 2,59               |
|              |    | 2,28               |
|              | °C | -20                |
|              | °C | -10                |
|              | °C | 2                  |
|              | °C | 65                 |
|              | °C | 65                 |
|              | °C | 65                 |

|  |       |              |
|--|-------|--------------|
|  | W     | 16           |
|  | W     | 16           |
|  | W     | 16           |
|  | W     | 43           |
|  | kW    | 10,9         |
|  | kW    | 1,6          |
|  | kW    | 0,0          |
|  |       | elektrisch   |
|  |       | veränderlich |
|  | dB(A) | 55           |
|  | kWh/a | 16814        |
|  | kWh/a | 8940         |
|  | kWh/a | 2367         |
|  | m³/h  | 4000         |