



ENERGY

STIEBEL ELTRON SH 120 S



15 dB

2705
kWh/annum

Product datasheet: Conventional water heaters to regulation (EU) no. 812/2013 and 814/2013 / (S.I. 2019 No. 539 / Schedule 2)

		SH 120 S
		073051
Manufacturer		STIEBEL ELTRON
Load profile		L
Energy efficiency class		C
Energy conversion efficiency	%	38
Annual power consumption	kWh	2705
Default temperature setting	°C	60
Sound power level	dB(A)	15
Option for exclusive operation during off-peak periods		-
Smart function		-
Mixed water volume at 40 °C	l	182
Daily power consumption	kWh	12,516



ENERGY

STIEBEL ELTRON SHZ 30 LCD



15 dB

489
kWh/annum

		SHZ 30 LCD
		231251
Manufacturer		STIEBEL ELTRON
Load profile		S
Energy efficiency class		A
Energy conversion efficiency	%	38
Annual power consumption	kWh	489
Default temperature setting	°C	85
Sound power level	dB(A)	15
Option for exclusive operation during off-peak periods		-
Smart function		X
Weekly power consumption with Smart	kWh	12.217
Weekly power consumption without Smart	kWh	14.960
storage volume V	l	30
Mixed water volume at 40 °C	l	73
Daily power consumption	kWh	2,773



ENERGY

STIEBEL ELTRON SH 80 S



15 dB

1381
kWh/annum


Product datasheet: Conventional water heaters to regulation (EU) no. 812/2013 and 814/2013 / (S.I. 2019 No. 539 / Schedule 2)

		SH 80 S
		073049
Manufacturer		STIEBEL ELTRON
Load profile		M
Energy efficiency class		C
Energy conversion efficiency	%	37
Annual power consumption	kWh	1381
Default temperature setting	°C	60
Sound power level	dB(A)	15
Option for exclusive operation during off-peak periods		-
Smart function		-
storage volume V	l	80
Mixed water volume at 40 °C	l	122
Daily power consumption	kWh	6,419



ENERGY

STIEBEL ELTRON SH 150 S



4321
kWh/annum

Product datasheet: Conventional water heaters to regulation (EU) no. 812/2013 and 814/2013 / (S.I. 2019 No. 539 / Schedule 2)

		SH 150 S
		073052
Manufacturer		STIEBEL ELTRON
Load profile		XL
Energy efficiency class		C
Energy conversion efficiency	%	39
Annual power consumption	kWh	4321
Default temperature setting	°C	60
Sound power level	dB(A)	15
Option for exclusive operation during off-peak periods		-
Smart function		-
Mixed water volume at 40 °C	l	229
Daily power consumption	kWh	19,859



ENERGY

STIEBEL ELTRON SN 5 SLi



15 dB

487
kWh/annum

Product datasheet: Conventional water heaters to regulation (EU) no. 812/2013 and 814/2013 / (S.I. 2019 No. 539 / Schedule 2)

		SN 5 SLi
		221127
Manufacturer		STIEBEL ELTRON
Load profile		XXS
Energy efficiency class		A
Energy conversion efficiency	%	38
Annual power consumption	kWh	487
Default temperature setting	°C	55
Sound power level	dB(A)	15
Option for exclusive operation during off-peak periods		-
Special information on measuring efficiency		None
Smart function		-
storage volume V	l	5
Mixed water volume at 40 °C	l	10
Daily power consumption	kWh	2.250



ENERGY

STIEBEL ELTRON SH 30 S



15 dB

518
kWh/annum

Product datasheet: Conventional water heaters to regulation (EU) no. 812/2013 and 814/2013 / (S.I. 2019 No. 539 / Schedule 2)

		SH 30 S
		073047
Manufacturer		STIEBEL ELTRON
Load profile		S
Energy efficiency class		B
Energy conversion efficiency	%	36
Annual power consumption	kWh	518
Default temperature setting	°C	60
Sound power level	dB(A)	15
Option for exclusive operation during off-peak periods		-
Smart function		-
Mixed water volume at 40 °C	l	50
Daily power consumption	kWh	2,437



ENERGY

STIEBEL ELTRON SN 10 SLi



15 dB

491
kWh/annum

Product datasheet: Conventional water heaters to regulation (EU) no. 812/2013 and 814/2013 / (S.I. 2019 No. 539 / Schedule 2)

		SN 10 SLi
		222193
Manufacturer		STIEBEL ELTRON
Load profile		XXS
Energy efficiency class		A
Energy conversion efficiency	%	38
Annual power consumption	kWh	491
Default temperature setting	°C	55
Sound power level	dB(A)	15
Option for exclusive operation during off-peak periods		-
Special information on measuring efficiency		None
Smart function		-
storage volume V	l	10
Mixed water volume at 40 °C	l	19
Daily power consumption	kWh	2.277



ENERGY

STIEBEL ELTRON SHZ 150 LCD



15 dB

4086
kWh/annum

		SHZ 150 LCD
		231256
Manufacturer		STIEBEL ELTRON
Load profile		XL
Energy efficiency class		C
Energy conversion efficiency	%	40
Annual power consumption	kWh	4086
Default temperature setting	°C	85
Sound power level	dB(A)	15
Option for exclusive operation during off-peak periods		-
Smart function		X
Weekly power consumption with Smart	kWh	82.096
Weekly power consumption without Smart	kWh	89.632
storage volume V	l	150
Mixed water volume at 40 °C	l	355
Daily power consumption	kWh	20,161



ENERGY

STIEBEL ELTRON SHD 100 S



15 dB

2666
kWh/annum

Product datasheet: Conventional water heaters to regulation (EU) no. 812/2013 and 814/2013 / (S.I. 2019 No. 539 / Schedule 2)

		SHD 100 S
		073060
Manufacturer		STIEBEL ELTRON
Load profile		L
Energy efficiency class		C
Energy conversion efficiency	%	38
Annual power consumption	kWh	2666
Default temperature setting	°C	60
Sound power level	dB(A)	15
Option for exclusive operation during off-peak periods		-
Smart function		-
storage volume V	l	100
Mixed water volume at 40 °C	l	133
Daily power consumption	kWh	12,288



ENERGY

STIEBEL ELTRON SHZ 50 LCD



15 dB

1286
kWh/annum

		SHZ 50 LCD
		231252
Manufacturer		STIEBEL ELTRON
Load profile		M
Energy efficiency class		B
Energy conversion efficiency	%	40
Annual power consumption	kWh	1286
Default temperature setting	°C	85
Sound power level	dB(A)	15
Option for exclusive operation during off-peak periods		-
Smart function		X
Weekly power consumption with Smart	kWh	23.177
Weekly power consumption without Smart	kWh	25.904
storage volume V	l	50
Mixed water volume at 40 °C	l	121
Daily power consumption	kWh	6,548



ENERGY

STIEBEL ELTRON SH 50 S



15 dB

1349
kWh/annum

Product datasheet: Conventional water heaters to regulation (EU) no. 812/2013 and 814/2013 / (S.I. 2019 No. 539 / Schedule 2)

		SH 50 S
		073048
Manufacturer		STIEBEL ELTRON
Load profile		M
Energy efficiency class		C
Energy conversion efficiency	%	38
Annual power consumption	kWh	1349
Default temperature setting	°C	60
Sound power level	dB(A)	15
Option for exclusive operation during off-peak periods		-
Smart function		-
Mixed water volume at 40 °C	l	80
Daily power consumption	kWh	6,233



ENERGY

STIEBEL ELTRON SHZ 100 LCD



15 dB

2611
kWh/annum

		SHZ 100 LCD
		231254
Manufacturer		STIEBEL ELTRON
Load profile		L
Energy efficiency class		C
Energy conversion efficiency	%	39
Annual power consumption	kWh	2611
Default temperature setting	°C	85
Sound power level	dB(A)	15
Option for exclusive operation during off-peak periods		-
Smart function		X
Weekly power consumption with Smart	kWh	49.746
Weekly power consumption without Smart	kWh	54.239
storage volume V	l	100
Mixed water volume at 40 °C	l	220
Daily power consumption	kWh	13,042



ENERGY

STIEBEL ELTRON

ESH 10 O-N Trend



15 dB

491
kWh/annum

Product datasheet: Conventional water heaters to regulation (EU) no. 812/2013 and 814/2013 / (S.I. 2019 No. 539 / Schedule 2)

		ESH 10 O-N Trend
		201393
Manufacturer		STIEBEL ELTRON
Load profile		XXS
Energy efficiency class		A
Energy conversion efficiency	%	38
Annual power consumption	kWh	491
Default temperature setting	°C	55
Sound power level	dB(A)	15
Option for exclusive operation during off-peak periods		-
Special information on measuring efficiency		None
Smart function		-
storage volume V	l	10
Mixed water volume at 40 °C	l	19
Daily power consumption	kWh	2.280



ENERGY

STIEBEL ELTRON SH 100 S



15 dB

2666
kWh/annum

Product datasheet: Conventional water heaters to regulation (EU) no. 812/2013 and 814/2013 / (S.I. 2019 No. 539 / Schedule 2)

		SH 100 S
		073050
Manufacturer		STIEBEL ELTRON
Load profile		L
Energy efficiency class		C
Energy conversion efficiency	%	38
Annual power consumption	kWh	2666
Default temperature setting	°C	60
Sound power level	dB(A)	15
Option for exclusive operation during off-peak periods		-
Smart function		-
Mixed water volume at 40 °C	l	133
Daily power consumption	kWh	12,288



ENERGY

STIEBEL ELTRON SHD 30 S



15 dB

518
kWh/annum

Product datasheet: Conventional water heaters to regulation (EU) no. 812/2013 and 814/2013 / (S.I. 2019 No. 539 / Schedule 2)

		SHD 30 S
		073059
Manufacturer		STIEBEL ELTRON
Load profile		S
Energy efficiency class		B
Energy conversion efficiency	%	36
Annual power consumption	kWh	518
Default temperature setting	°C	60
Sound power level	dB(A)	15
Option for exclusive operation during off-peak periods		-
Smart function		-
storage volume V	l	30
Mixed water volume at 40 °C	l	50
Daily power consumption	kWh	2,437



ENERGY

STIEBEL ELTRON SHZ 80 LCD



15 dB

1223
kWh/annum

		SHZ 80 LCD
		231253
Manufacturer		STIEBEL ELTRON
Load profile		M
Energy efficiency class		B
Energy conversion efficiency	%	40
Annual power consumption	kWh	1223
Default temperature setting	°C	85
Sound power level	dB(A)	15
Option for exclusive operation during off-peak periods		-
Smart function		X
Weekly power consumption with Smart	kWh	22.723
Weekly power consumption without Smart	kWh	27.414
storage volume V	l	80
Mixed water volume at 40 °C	l	197
Daily power consumption	kWh	6,618



ENERGY

STIEBEL ELTRON

ESH 5 O-N Trend



15 dB

494
kWh/annum

Product datasheet: Conventional water heaters to regulation (EU) no. 812/2013 and 814/2013 / (S.I. 2019 No. 539 / Schedule 2)

		ESH 5 O-N Trend
		201388
Manufacturer		STIEBEL ELTRON
Load profile		XXS
Energy efficiency class		A
Energy conversion efficiency	%	37
Annual power consumption	kWh	494
Default temperature setting	°C	55
Sound power level	dB(A)	15
Option for exclusive operation during off-peak periods		-
Special information on measuring efficiency		None
Smart function		-
storage volume V	l	5
Mixed water volume at 40 °C	l	10
Daily power consumption	kWh	2,295



ENERGY

STIEBEL ELTRON SN 15 SL 3.3 kW



15 dB

489
kWh/annum

Product datasheet: Conventional water heaters to regulation (EU) no. 812/2013 and 814/2013 / (S.I. 2019 No. 539 / Schedule 2)

		SN 15 SL 3.3 kW
		222203
Manufacturer		STIEBEL ELTRON
Load profile		XXS
Energy efficiency class		A
Energy conversion efficiency	%	38
Annual power consumption	kWh	489
Default temperature setting	°C	55
Sound power level	dB(A)	15
Option for exclusive operation during off-peak periods		-
Special information on measuring efficiency		None
Smart function		-
storage volume V	l	15
Mixed water volume at 40 °C	l	28
Daily power consumption	kWh	2.263



ENERGY

STIEBEL ELTRON

SN 5 SL GB



15 dB

487
kWh/annum

Product datasheet: Conventional water heaters to regulation (EU) no. 812/2013 and 814/2013 / (S.I. 2019 No. 539 / Schedule 2)

		SN 5 SL GB
		221125
Manufacturer		STIEBEL ELTRON
Load profile		XXS
Energy efficiency class		A
Energy conversion efficiency	%	38
Annual power consumption	kWh	487
Default temperature setting	°C	55
Sound power level	dB(A)	15
Option for exclusive operation during off-peak periods		-
Special information on measuring efficiency		None
Smart function		-
storage volume V	l	5
Mixed water volume at 40 °C	l	10
Daily power consumption	kWh	2,250



ENERGY

STIEBEL ELTRON SN 10 SL GB



15 dB

491
kWh/annum

Product datasheet: Conventional water heaters to regulation (EU) no. 812/2013 and 814/2013 / (S.I. 2019 No. 539 / Schedule 2)

		SN 10 SL GB
		222192
Manufacturer		STIEBEL ELTRON
Load profile		XXS
Energy efficiency class		A
Energy conversion efficiency	%	38
Annual power consumption	kWh	491
Default temperature setting	°C	55
Sound power level	dB(A)	15
Option for exclusive operation during off-peak periods		-
Special information on measuring efficiency		None
Smart function		-
storage volume V	l	10
Mixed water volume at 40 °C	l	19
Daily power consumption	kWh	2,277