



# ENERG

енергия · ενεργεια



## STIEBEL ELTRON

WPL 09 ACS classic  
compact plus Set



**A<sup>+</sup>**



**A**



- 5 kW
- 4 kW
- 4 kW

2019

811/2013

Технические характеристики изделия:

|              |       | WPL 09 ACS classic compact plus Set |
|--------------|-------|-------------------------------------|
|              |       | 235989                              |
| Manufacturer |       | STIEBEL ELTRON                      |
|              |       | L                                   |
|              |       | A+                                  |
|              |       | A++                                 |
|              |       | A                                   |
|              | kW    | 4                                   |
|              | kW    | 5                                   |
|              | kWh/a | 2618                                |
|              | kWh/a | 2265                                |
|              | kWh   | 1535,000                            |
|              | %     | 116                                 |
|              | %     | 163                                 |
|              | %     | 109                                 |
|              |       | -                                   |
|              | kW    | 5                                   |
|              | kW    | 4                                   |
|              | kW    | 4                                   |
|              | kW    | 3                                   |
|              | kWh/a | 4884                                |
|              | kWh/a | 2757                                |
|              | kWh/a | 1467                                |
|              | kWh/a | 889                                 |
|              | kWh   | 1663,000                            |
|              | kWh   | 1253,000                            |
|              | %     | 105                                 |
|              | %     | 150                                 |
|              | %     | 139                                 |
|              | %     | 206                                 |
|              | %     | 206                                 |
|              | %     | 134                                 |
|              | dB(A) | 52                                  |



# ENERG

енергия · ενεργεια



WPL 09 ACS classic compact plus Set

## STIEBEL ELTRON



A<sup>+</sup>



A



A<sup>+++</sup>

A<sup>++</sup>

A<sup>+</sup>

A

B

C

D


E

F

G

A<sup>+</sup>

+



+



+



+



A<sup>+++</sup>

A<sup>++</sup>

A<sup>+</sup>

A

B

C

D

E

F

G

A

Технические характеристики изделия:

|              |   | WPL 09 ACS classic compact plus Set |
|--------------|---|-------------------------------------|
|              |   | 235989                              |
| Manufacturer |   | STIEBEL ELTRON                      |
|              | % | 116                                 |
|              |   | VI                                  |
|              | % | 4                                   |
|              | % | 120                                 |
|              | % | 109                                 |
|              | % | 143                                 |
|              | % | 8                                   |
|              | % | 26                                  |
|              |   | A+                                  |
|              |   | A+                                  |
|              |   | A                                   |
|              |   | L                                   |

Технические характеристики изделия:

|              |    | WPL 09 ACS classic compact plus Set |
|--------------|----|-------------------------------------|
|              |    | 235989                              |
| Manufacturer |    | STIEBEL ELTRON                      |
|              |    | Luft                                |
|              |    | -                                   |
|              |    | -                                   |
|              |    | -                                   |
|              | kW | 5                                   |
|              | kW | 4                                   |
|              | kW | 4                                   |
|              | kW | 3,24                                |
|              | kW | 3,4                                 |
|              | kW | 2,0                                 |
|              | kW | 2,0                                 |
|              | kW | 3,9                                 |
|              | kW | 2,5                                 |
|              | kW | 1,3                                 |
|              | kW | 1,3                                 |
|              | kW | 1,5                                 |
|              | kW | 1,5                                 |
|              | kW | 1,5                                 |
|              | kW | 3,8                                 |
|              | kW | 3,0                                 |
|              | kW | 4,0                                 |
|              | kW | 3,2                                 |
|              | kW | 3,4                                 |
|              | kW | 3,9                                 |
|              | kW | 0,0                                 |
|              | °C | -10                                 |
|              | °C | -5                                  |
|              | °C | 2                                   |
|              | %  | 105                                 |
|              | %  | 116                                 |
|              | %  | 139                                 |
|              |    | 2,28                                |
|              |    | 2,05                                |
|              |    | 3,40                                |
|              |    | 2,94                                |
|              |    | 2,13                                |
|              |    | 4,66                                |
|              |    | 4,13                                |
|              |    | 3,25                                |
|              |    | 6,65                                |
|              |    | 5,97                                |
|              |    | 5,15                                |
|              |    | 2,09                                |
|              |    | 2,15                                |
|              |    | 2,13                                |
|              |    | 2,28                                |
|              |    | 2,05                                |
|              |    | 2,13                                |
|              |    | 0,00                                |
|              | °C | -15                                 |
|              | °C | -5                                  |
|              | °C | 2                                   |
|              | °C | 17                                  |
|              | °C | 60                                  |
|              | °C | 60                                  |
|              | W  | 17                                  |
|              | W  | 30                                  |
|              | W  | 17                                  |

|  |       |              |
|--|-------|--------------|
|  | W     | 5            |
|  | kW    | 5,5          |
|  | kW    | 3,8          |
|  | kW    | 0,0          |
|  |       | elektrisch   |
|  |       | veränderlich |
|  | dB(A) | 52           |
|  | kWh/a | 4884         |
|  | kWh/a | 2618         |
|  | kWh/a | 1467         |
|  | m³/h  | 1300         |
|  |       | L            |
|  | kWh   | 4,450        |
|  | kWh   | 1663,000     |
|  | kWh   | 1535,000     |
|  | kWh   | 1253,000     |
|  | %     | 206          |
|  | %     | 109          |
|  | %     | 134          |